



E-mail : japsnelevator@gmail.com





the reliable you can trust

Products

- ◆ Passenger Lifts
- ◆ Hospital Lifts
- ◆ Goods Lifts
- ◆ Home Lifts
- ◆ Dumbwaiters
- ◆ Hydraulic Lift

Basic Information

Japsin Elevators is a company committed to providing safe, reliable, technically robust & cost . effective solutions in elevators & escalators" We are one of the major upcoming companies in . domestic elevator and escalator industry" Japsin Elevators is proud of its high quality standards and flexible specialized solutions for which the company is getting renowned".

We provide Unique and tailor made solutions that meet the client's expectations in their vertical transportation need.

Professional quality of services at all stages provided by a qualified technical team 24/7 availability of staff

The main factors that gives Japsin Elevators the edge:

Flexibility and customized solutions .

Premium Design

State of art Mechanical Equipment, Company Owned transportation, Company Owned facilities Working environment of high standards Continuous employee training, highly skilled production staff and technicians Option of providing the customer with the complete lift package Customized approach for the the design research, documentation and manufacturing of lifts.




JapsinElevator

Panoramic Capsule Elevator

JAPSIN ELEVATORS Panoramic Elevator is backed by the advanced control technology, applying fully digital vector variable frequency drive technology and matching with the noble European decoration style. When the evening falls, in the background of the neon lights, up-and-down panoramic elevator becomes a flowing scenery in the urban city. At the same time, it wonderfully displays the design concept of "safety, smoothness, attraction and harmony". These types of elevators can be extensively used in shopping malls, high grade offices and other important public civil infrastructures.

CAPACITY
6 TO 20
PASSENGER




Japsin Elevator

Features :


- ❖ Glass / Stainless steel/designer stainless steel/gold finish stainless steel.
- ❖ Powder coated (multi-color) cars and doors, elegant in looks, light in weight, and variable speed options.
- ❖ Microprocessor based controller with full collective-selective control.
- ❖ AC VWF drive for smooth operations and variable speeds.
- ❖ Over load indications and floor announcement system.
- ❖ Infrared curtain for door safety.
- ❖ Automatic rescue device for power back up.
- ❖ Luminous push button / touch buttons, which are highly attractive and durable.
- ❖ Digital/LCD floor indication in LOP & COP
- ❖ Decorative LED lights with suspended ceilings
- ❖ PVC / Marble / granite flooring.
- ❖ Blower fan for multi-cross air delivery.



Option-A



Option-B




Option-A

Load		Car Inside				Left Well				Entrance
Person	Kgs.	A	B	J	G	C	D	F	H	E
10	680	1100	1300	1400	650	2200	1325	1330	1100	800
13	884	1200	1400	1550	700	2400	1425	1430	1100	900
16	1088	1300	1500	1700	750	2800	1530	1530	1200	1000

Option-B

Load		Car Inside				Left Well				Entrance
Person	Kgs.	A	B	J	G	C	D	F	H	E
10	680	1250	1300	250	2200	1450	1480	580	800	
13	884	1400	1400	300	2400	1550	1630	650	900	
16	1088	1550	1500	350	2800	1780	1650	790	1000	



Auto Door Elevator

Our auto door elevators are durable by design and accurate by technology. We have a wide range of these elevators which are most reliable and designed to suit every construction requirement and provide best vertical transportation solutions, with trouble free Performance and low maintenance cost. These elevators are a Perfect blend of all good features of various types of elevators. These have excellent record of customer satisfaction.

CAPACITY
4 TO 20
PASSENGER




Japsin Elevator



Features:

- ❖ M.S./S.S./Glass Door Panels
- ❖ Door operation options of center opening /Telescopic opening / Glass door opening.
- ❖ Powder coated (multi-color) cars and doors, elegant in looks, light in weight, and variable speed options.
- ❖ Microprocessor based controller with full collective-selective control.
- ❖ AC VVVF drive for smooth operations and variable speeds.
- ❖ Over load indications and floor announcement system.
- ❖ Infrared curtain for door safety
- ❖ Automatic rescue device for power back up
- ❖ Luminous push button / touch buttons, which are highly attractive and durable.
- ❖ Digital/LCD floor indication in LOP & COP
- ❖ Decorative LED lights with suspended ceilings
- ❖ PVC / Marble / Granite flooring.
- ❖ Blower fan for multi-cross air delivery.
- ❖ Hand rail with mirror on rear side.

HOISTWAY PLAN AUTO DOOR



Auto Doors

HOIST WAY MACHINE ROOM SIZE

PASSENGER LIFT WITH AUTO DOORS														
PER.	LOAD IN KG.	CAR INSIDE		LEFT WELL			ENT. E	MACHINE ROOM			UP TO 1.5 M/Sec.		UP TO 2.5 M/Sec.	
		WIDTH A	DEPTH B	WIDTH C	DEPTH D	WIDTH F		DEPTH G	HEIGHT H	K	M	K	M	
5	340	1020	910	1600	1600	700	3000	3500	2500	1600	4500	2600	6700	
6	408	1100	1000	1600	1600	700	3000	3500	2500	1600	4800	2600	6700	
8	544	1300	1100	1800	1800	800	3200	3500	2500	1600	4800	2600	6700	
10	680	1350	1300	1900	2000	800	3500	4000	2500	1600	4800	2600	6700	
13	884	2000	1100	2500	1900	1000	4000	4200	2500	1600	4800	2600	6700	
16	1088	2000	1300	2500	2000	1000	4500	4800	2500	1600	4800	2600	6700	
20	1360	2000	1550	2500	2300	1000	5000	5000	2500	1600	4800	2600	6700	



Manual Door Elevator

Our Manual door elevators are also durable by design and accurate by technology. We have a wide range of these elevators which are most reliable and designed to suit every construction requirement and provide best vertical transportation solutions, with trouble free performance and low maintenance cost. These elevators are a perfect blend of all good features of various types of elevators. These have excellent record of customer satisfaction.

CAPACITY
4 TO 20
PASSENGER



Japsin Elevator

Manual Doors



Collapsible Manual Door




Imperforated Manual Door



Swing Doors

Features:

- ❖ M.S./S.S. Panels
- ❖ Collapsible / imperforated / Three fold sliding /Swing doors.
- ❖ Powder coated (multi-color) cars and doors, elegant in looks, light in weight, and variable speed options.
- ❖ Microprocessor based controller with full collective - selective control.
- ❖ AC WVF drive for smooth operations and variable speeds.
- ❖ Over load indications and floor announcement system.
- ❖ Automatic rescue device for power back up
- ❖ Luminous push button / touch buttons, which are highly attractive and durable.
- ❖ Digital/LCD floor indication in LOP & COP
- ❖ Decorative LED lights with suspended ceilings
- ❖ PVC / Marble / Granite flooring.
- ❖ Blower fan for multi-cross air delivery.
- ❖ Hand rail with mirror on rear side.



Manual Doors

HOIST WAY MACHINE ROOM SIZE

PASSENGER LIFT WITH MANUALLY OPERATED DOORS											
LOAD		CAR INSIDE		LEFT WELL		ENT.	MACHINE ROOM			UP TO 0.7 M/Sec.	
PER.	WEIGHT IN KG.	WIDTH A	DEPTH B	WIDTH C	DEPTH D	E	WIDTH F	DEPTH G	HEIGHT H	K	M
4	272	1100	700	1600	1250	700	3000	3000	2500	1524	4250
5	340	1100	850	1600	1300	750	3000	3200	2500	1524	4250
6	408	1100	1000	1670	1370	750	3000	3500	2500	1524	4250
8	544	1300	1100	1800	1600	750	3200	3500	2500	1524	4250
10	680	1350	1300	1850	1800	1000	3500	4000	2500	1600	4250
13	884	2000	1100	2500	1600	1000	4000	4200	2500	1600	4250
16	1088	2000	1300	2500	1800	1000	4500	4800	2500	1600	4250
20	1360	2000	1550	2500	2050	1000	5000	5000	2500	1600	4250



Hospital Elevator

Our hospital elevators are used for simple transportation of a patient on wheel chair to wheeling away a critical patient on stretcher without disturbing his life support system, with doctors and nurses. These elevators are smooth, silent and swift without jerks and shocks.

Onyx elevators offer wide range of these type of elevators in auto Door and manual door operations.

CAPACITY
15 TO 26
PASSENGER



Japsin Elevator

Features:

- Speed options from 0.35 m/sec to 1.5 m/sec.
- Capacity options from 15 to 26 passengers. 0'
- Car and door finish options -powder coated stainless steel.
- PVC / Chequered flooring.
- Various types of door options such as collapsible /imperforated/Telescopic/ automatic centre opening doors.



Automatic Centre Opening Door Lifts



Person	Capacity	Shaft-W	Shaft-D	Car-W	Car-D	Entrance
	Kg	A	B	C	D	E
15	1020	1800	3000	1000	2400	800
20	1360	2300	3000	1300	2400	900
26	1768	2500	3000	1600	2400	1000

Collapsible door can be provided if required

Automatic Telescopic Door Lifts

Person	Capacity	Shaft-W	Shaft-D	Car-W	Car-D	Entrance
	Kg	A	B	C	D	E
15	1020	1700	3000	1000	2400	800
20	1360	1950	3000	1300	2400	900
26	1768	2100	3000	1600	2400	1000

All dimension in mm.



Automobile Elevator

Our car elevators are installed in buildings where ramps are not possible to construct, due to space constraints. These elevators are operated in similar fashion as freight elevators except for the fact that size and load carrying capacity of lift platform is in accordance with the dimensions & weight of largest vehicle to be transported between floors. Onyx offers all types of vehicle elevator from 1500 kg for smaller cars to 5000 kg for bigger cars like SUVs and tempos.






Over the last few years, Onyx has specialized the concept of vertical Transportation of material through its innovative techniques and designs.

CAPACITY
1500 TO 5000
PASSENGER



Features:

- ❑ Auto / Manual door opening options.
- ❑ These are safe and reliable.
- ❑ Two side opening option.
- ❑ Heavy duty traction machine.



Hydraulic Elevator

Looking for a low-maintenance elevator? Hydraulic lifts provide the advantages of being relatively inexpensive, safe and easy to maintain. They're very convenient and cost-effective solution for low rise buildings with low traffic.




Hydraulic elevators have been rated the safest option for home elevators. They boast superb user friendliness and easy access machine room located at the basement. Once they are put in place, hydraulic elevators provide the smoothest rides possible.

CAPACITY
3 TO 24
PASSENGER



HOLE TYPE

It is a directly suspension with a simple or split piston. It is the simplest solution of suspension for any load. upto 6 meters travel.



Persons	Capacity	Car-W	Card-D	Shaft-W	Shaft-D
	Kg	(A)	(B)	(C)	(D)
3	204	800	1500	1500	1500
4	272	850	1050	1550	1550
5	340	1000	1200	1600	1600
6	408	1100	1250	1700	1700
8	544	1200	1500	1700	1800
10	680	1200	1700	1700	2000
12	844	1300	1800	1900	2100
15	1088	1300	2200	2000	2500
20	1428	1400	2500	2100	2800
24	1700	1500	2500	2200	2800



Machine Roomless Elevator

Onyx elevator brings you a revolutionary concept in the field of elevators to give you absolute freedom in designing MRL -Machine Roomless elevators. These elevators bring aesthetic enhancements to your structure.

CAPACITY
3 TO 20
PASSENGER





Japsin Elevator

Less Space Less Energy & More Flexibility

Advantages:

- ◆ Latest technology in the world
- ◆ Smooth and swift in operations
- ◆ Flexible to all building designs
- ◆ Consumes less electricity
- ◆ Safe and reliable



DIMENSIONAL DETAILS : Machine Roomless Elevator

Capacity		Lift Well		Car Inside		Clear Entrance	Clear Opening at landing	
Persons	KGS	C	D	A	B	E	F Auto Door	F Manual Telescopic
6	408	1800	1400	1200	900	700	780 / 2100	1450 / 2350
8	544	1900	1600	1300	1100	800	880 / 2100	1600 / 2350
10	680	1900	1800	1300	1300	800	880 / 2100	1600 / 2350
13	884	2200	1900	1600	1400	900	980 / 2100	1700 / 2350

All Dimensions are in size.



Japsin Elevator

Display



LCD Display



Dot Matrix Square Display



Dot Matrix Round Display



Seven Segment Display



Surface Micro Electro LOP & COP Buttons



People in Motion Technology to
Delivery Human Single for machine
to Move.

COP & LOP

Push Button



COMPONENTS



Elevator T Guide Rail M/F.



Standard Usha Martin
Elevator Rope



Sensor



Lift Duty Reduction Geared Machine Units

Elevator Machine Units

Machines are specially designed for various application such as speed and capacity with rigid & rugged reliability, smooth trouble free operation. Use standard worm and worm gears with taper roller bearings and thrust bearing in machine for maximum load carrying capacity. The perfect lubrication system gives longer life and smooth operation. The machine are mounted on special type of rubbers which have extra ordinary dumping capacity, due to this characteristic, the machine runs vibration free.



single phase gearless m/c



MRL Gearless Machine



High Speed Traction Machine



High Speed Traction Machine

MICROPROCESSOR CONTROL PANEL




Microprocessor Control Panel



Automatic Rescue Device




MRL Intregated Panel



Door Header





JapsinElevator

116/99, Kaiserbagh, Near Shubham Cinema,
Ghasiyari Mandi, Lucknow-226001
91 7310345387, 6391155210
E-mail : japsinelevator@gmail.com

OUR SERVICES IN ALL OVER U.P. & UTTARAKHAND